

## Corrigendum Furniture Tender

**(a) STEEL ALMIRAH**

**OVERALL SIZE : (H) 1980 x (W) 915 x (D) 480mm. 1.2 mm CR Thick Sheet.**

**(b) CABINET PLAIN**

**OVERALL SIZE : (H) 1270 x (W) 760 x (D) 430mm. 1.2mm CR Thick Sheet.**

**(c) CABINET PLAIN MINI SIZE**

**OVERALL SIZE: (H) 915 x (W) 610 x (D) 380 mm. 1.2mm CR Thk Sheet.**

Type	Size mm (HxWxD)	Sheet	No. of Hinges & Brackets	Shelf No. & Depth
CABINETPLAIN	1980x915x480	1.2mm	6	4 nos.x/400mm
CABINETPLAIN	1270x760x430	1.2mm	4	3 nos.x/355mm
CABINETPLAIN	915x610x380	1.2mm	2	2 nos.x/330mm
WARDROBE	1980X900X560	1.2mm	6	3 nos.x/500mm

It is brought to notice of all bidders that CR sheet thickness of above items in tender document is mentioned different at several places, as sheet size is mentioned 1.00 mm in item Heading however 1.2mm is mentioned in item description however 1.00mm mentioned in above table.

The discrepancy has been reported by several tenderer with a request of clarification on it so that they made the correct estimate.

In view of the above, it is brought to notice of all concern that sheet thickness all above items should be **read as 1.2mm**. Tenderer are requested to bid for **1.2mm CR sheet**.

This is for information of all bidders please.

Purchase Officer  
NIEPMD, Chennai